

PRODUCT CATALOG

Harness the power of every drop of water.
Distribute fertiliser to your plants and lawn with
an EZ-FLO Injection System.



RESIDENTIAL INJECTION SYSTEMS



EZ-FL 3.2L

SKU: EZ1010HB standard, 13mm


Supplied with Australian-specific fittings

(USA version will leak here in Australia)

Fill capacity: 3.2 Litres (liquid) or 3.2 kg (water-soluble) approximate. However your choice to fill with any amount; 500 grams, 1 kg or 3.2 kg, just top up with water.

Suggested applications: Domestic gardens and lawns, nursery, greenhouses, green walls, vertical gardens, vegetable plots + more.

Litres of treated water per full refill: 320 on fast (100:1) setting– 3,200 Litres on slow (1000:1) setting



Dimensions:

30cm Height x 18 cm Diameter

Parts in Kit:

3.2-litre premium PVC tank, mixing cap, 1.5 m feeding tubes, liquid adapter, brass tap adapter complete with quick snap on fittings standard; optional tap fittings to suit 13mm or 20mm hoses selected below:

RESIDENTIAL INJECTION SYSTEMS



EZ-FLO1

SKU: EZ-FLO1

The EZ-FLO1 is the affordable mainline equivalent of our best selling hose/tap connected system. The FLO1 is ideal for small gardens, lawns, seed raising, drip systems, greenhouses, vertical gardens and more.

Type: Affordable mainline system, ready to attach to your irrigation system, mains, tank or bore

Additive capacity: 3.2 litres/ 3.2 kg water-soluble, approximate

Litres of treated water per refill: 1280 on fast setting to 48.000 on slow setting, two ratios in between



Operating pressure: minimum 5 psi (35 kPa) to maximum 80 psi (550 kPa)
Irrigation mains flow rates: Minimum 2 litres per minute (lpm) to 300 litres per second (l/s) plus, depending on CBV size selected

Dimensions: 30cm Height x 18 cm Diameter

Parts included in kit: tank; proportioning cap; 1.5 meters each of clear and black tube; heavy-duty shut-off valves and liquid adaptor, note essential accessory below

Additional Features: Ability to use most liquids or water-soluble concentrates.

Required accessories: A ball valve coupling adapter (CBV) to suit your irrigation mains size in options below

RESIDENTIAL INJECTION SYSTEMS



EZ-FLO 5.7L

SKU: EZ001CX

The 5.7 Litre, EZ001CX is ideally suited for the small residential home block, small nursery of up to 800m² in garden/turf area.

Type: Main Line Standard Capacity Systems

Additive capacity: 5.7 Litres (liquid)

/ 4.5 – 5.4kg (water-soluble)

Suggested applications: Nursery, small parks, vertical gardens, green walls, road medians, large gardens, greenhouses, golf course greens, + more.

Litres of treated water per refill: 2,300 – 85,000 Litres

Dimensions: 28cm Height x 20 cm Diameter x 36 cm length



Parts included in the kit: EZ001CX Tank, Mixing cap, 1.5 m feeding tube.

Required accessories: A ball valve coupling adapter (CBV) to suit your mains size

Additional Features: Ability to use either liquid or water-soluble concentrated products, NO pre-mixing required

RESIDENTIAL INJECTION SYSTEMS



EZ-FLO 9.4L

SKU: EZ003CX

The 9.4 Litre 003CX is ideally suited for the larger residential home block, up to 1500m² in garden/turf area

Type: Main Line Standard Capacity Systems

Additive capacity:

9.4 Litres (liquid) / 6.8 – 8.2 kg
(water-soluble)

Suggested applications:

Nursery, small parks; vertical gardens; green walls; road medians, large gardens, green-houses, golf course greens, etc.

Litres of treated water per refill:

3,800 – 142,000 Litres



Dimensions: 30 cm Height x 20 cm Diameter x 52 cm Length

Parts included in the kit: EZ003CX Tank, Mixing cap, liquid adapter, 1.5m feeding tubes.

Required accessories: A ball valve coupling adapter (CBV) to suit your mains size

Additional Features: Ability to use either liquid or water-soluble products

RESIDENTIAL INJECTION SYSTEMS



EZKIT-19.2L

SKU: EZ005FX

Type: Main Line Standard Capacity Systems
Additive capacity: 19 Litres (liquid) /13.6 – 16.3 kg (water-soluble)

Suggested applications: Nursery, small parks; vertical gardens; green walls; road medians, large gardens, greenhouses, golf course greens, etc.

Litres of treated water per refill: 7,700 – 282,000 Litres

Dimensions: 34 cm Height x 24 cm Diameter x 60 cm Length

Parts included in the kit: EZ005FX Tank, Mixing cap, Liquid adapter kit, 1.5m feeding tubes.



Required accessories:

A ball valve coupling adapter (CBV) to suit your mains size in options

Additional notes:

The popular size for large residential and hobby farms

RESIDENTIAL INJECTION SYSTEMS



EZKIT-1 6.7L

SKU: EZKIT-1

The new EZKIT systems are the next generation of quality injection products offered by EZ-FLO. The EZKIT-1 and EZKIT-3 are nearly identical in construction to the time tested CX versions. However, the KITS now offer upgraded features previously only available in high capacity models. The proprietary fill system nearly doubles the water-soluble powder capacity of a CX model, extending the refill duration or coverage area of a tank.

The EZKIT-3 will service properties as large as 4000 m2 of turf or 8000 m2 of drip when using Water Soluble Powders (WSP). Each model incorporates a separate fill port and drain valve allowing for the system to be refilled with product and never leave the valve box. No tubing to disconnect or heavy tank to lift out providing for a faster, simpler refill.



The CBV connection for 3/4"-1" (20mm-25mm) and Tubing Kit come standard in the box.

EZKIT-1 Capacity: 6.7L

EZKIT-3 Capacity: 9.6L

PROBOXES



EZ-FLO Probox 300

SKU: PROBOX-300

Type:

Irrigation Control box with build in EZ-FLO Fertigation system

Fertigation tank capacity:

3.2 litres

Suggested applications:

Vertical walls, Green roofs, Planter boxes, upmarket residences, small council parks

Parts included in the kit: Glass Fibre reinforced cabinet; 20mm pressure reducer; pressure gauge; heavy-duty shut off valves; EZFLO coupling ball valve for injection and choice of output to either external solenoids or from 1 to 3 installed Netafim solenoids; Hunter Node Blue tooth



Optional: choice of copper or Auspex inlet/outlet

Additional notes: Rated to 80 psi

Features: Patented Dynamic suspension process, Glass fibre wound cabinet, 1-year warranty, no rot and ability to use either liquid or water-soluble fertilisers; no premixing, no pumps.

PROBOXES



EZ-FLO Probox 600

SKU: PROBOX-600

Type: Irrigation Control box with build in EZ-FLO Fertigation system

Fertigation tank capacity: 3.2 litres

Suggested applications: Vertical walls, Green roofs, Planter boxes, upmarket residences, small council parks

Parts included in the kit: Glass Fibre reinforced cabinet; 20mm pressure reducer; pressure gauge; master valve; heavy-duty shut off valves; Elster meter 0.5 l pulse; EZFLO coupling ball valves for injection and choice of output to either external solenoids or from 1 to 4 installed Netafim solenoids; Hydrawise HC indoor controller; 240V power outlet

Optional: elstra Wifi USB modem; EC Monitor; 24VAC power supply; RPZD; choice of copper or Auspex inlet/outlet



Size options:

Can be configured with increased number of solenoids or 20mm can be substituted with 25mm to 40mm piping for increased capacity

Additional notes:

Rated to 80 psi and requires 240V connection by electrician or can be provided with 240V cord with plug

Features: Patented Dynamic suspension process, Glass fibre wound cabinet, 1-year warranty, no rot and ability to use either liquid or water-soluble fertilisers; no premixing, no pumps.

COMMERCIAL SYSTEMS



EZ-FLO HF112

SKU: HF112

Type: High Flow Vertical, variable injection rate set by flow meter (rotameter)

Tank capacity: 112 litres/ 130 kg water-soluble, available in 180 or 323 litre capacity

Suggested applications: parks, sports ovals, lifestyle blocks, greenhouses, large landscapes, golf courses, small crops + more.

Parts included in the kit: Tank; High Flow head; 3/8" tubing; heavy-duty shut off valves; 10-100 litres/hour rotameter (other injection rates available), medium funnel

Required accessories: sized ball valve coupling adapter, CBV

Additional notes: rated to 125 psi and ideal for placing in a shed or next to a lateral and no power required



Features: Patented Dynamic suspension process, Glass fibre wound tank, 5-year warranty, expected 25-year service life, no rot and ability to use either liquid or water-soluble fertilisers; no premixing; no mixers; no power; no pumps.

A 112-litre fertigation system, which, unlike the traditional "fertigation" tank, will allow for precise and variable injection of either liquids and water solubles.

No dilution in the tank: flow meter adjustable with concentrated fertiliser directly injected into irrigation mains.

COMMERCIAL SYSTEMS



EZ-FLO HCV 55L

SKU: HCV-55

Type: High Capacity Vertical

Additive capacity:

55 litres/ 70 kg water-soluble

Suggested applications:

parks, sports ovals, lifestyle blocks, green-houses, large landscapes, golf courses, small crops + more.

M3 of treated water per refill:

33 m3 (on the fast setting of 1:400 ratio) to 1,200 m3 (on slow setting at 15,000:1 ratio)

Parts included in the kit: Tank; proportioning cap; 1.5 meters each of clear and black tube; heavy-duty shut off valves, liquid adaptor, medium funnel

Required accessories: sized to irrigation

main: ball valve coupling adapter, CBV

Additional notes: rated to 125 psi and ideal for placing in a shed and no power required



Additional Features: Glass fibre wound tank, 5-year warranty, 25-year service life and ability to use either liquids or water-soluble; no remixing.

A 55-litre fertigation system, which, unlike the traditional "fertigation" tank, will allow for precise and variable injection of either liquids and water solubles.

No dilution in the tank, adjustable concentrated fertiliser injected directly into irrigation mains.

COMMERCIAL SYSTEMS



EZ-FLO HCV 76L

SKU: HCV-76

Type: High Capacity Vertical

Tank capacity: 76 litres/ 90 kg water-soluble

Suggested applications:

parks, sports ovals, lifestyle blocks, greenhouses, large landscapes, golf courses, small crops + more.

M3 of treated water per refill: 45 m3 (on the fast setting of 1:400 ratio) to 1,700 m3 (on slow setting at 15,000:1 ratio)

Parts included in the kit: Tank; proportioning cap; 1.5 meters each of clear and black tube; heavy-duty shut off valves, liquid adaptor, medium funnel

Required accessories: sized to irrigation mains ball valve coupling adapter, CBV

Additional notes: rated to 125 psi and ideal for placing in a shed or next to a lateral and no power required



Additional Features: Glass fibre wound tank, 5-year warranty, expected 25-year service life, no rot and ability to use either liquid or water-soluble fertilisers; no premixing; no mixers; no power; no pumps.

A 55-litre fertigation system, which, unlike the traditional "fertigation" tank, will allow for precise and variable injection of either liquids and water solubles into your irrigation mains or lateral.

No dilution in the tank, adjustable concentrated fertiliser directly injected into irrigation mains.

COMMERCIAL SYSTEMS



EZ-FLO HCV 112L

SKU: HCV-112

Type: High Capacity Vertical

Tank capacity: 112 litres/ 130 kg
water-soluble

Suggested applications:

parks, sports ovals, lifestyle blocks, green-houses, large landscapes, golf courses, small crops + more.

M3 of treated water per refill: 67 m3 (on the fast setting of 1:400 ratio) to 2,500 m3 (on slow setting at 15,000:1 ratio) 2 intermediate ratio's available on cap

Parts included in the kit: Tank; proportioning cap; 1.5 meters each of clear and black tube; heavy-duty shut off valves, liquid adaptor, medium funnel

Required accessories: sized ball valve coupling adapter, CBV

Additional notes: rated to 125 psi and ideal for placing in a shed or next to a lateral and no power required



Features: Patented Dynamic suspension process, Glass fibre wound tank, 5-year warranty, expected 25-year service life, no rot and ability to use either liquid or water-soluble fertilisers; no premixing; no mixers; no power; no pumps.

A 112-litre fertigation system, which, unlike the traditional "fertigation" tank, will allow for precise and variable injection of either liquids and water solubles.

No dilution in the tank: adjustable and variable concentrated fertiliser directly injected into irrigation mains.

COMMERCIAL SYSTEMS



Please note, images shown are of the 112L version

EZ-FLO HCV 180L

SKU: HCV-180

Type: High Capacity Vertical

Additive capacity: 180 litres/ 200 kg
water-soluble

Suggested applications: parks, sports ovals, lifestyle blocks, greenhouses, large landscapes, golf courses, small crops etc
Litres of treated water per refill: 100,000 on fast setting of 1:400 to 4,000,000 on slow setting at 15,000:1

Parts included in kit: tank; proportioning cap; 1.25 meter each of clear and black tube; heavy-duty shut off valves, liquid adaptor, medium funnel

Required accessories: sized ball valve coupling adapter, CBV



Additional notes: rated to 125 psi and ideal for placing in a shed and no power required

Additional Features: Glass fibrewound tank, 5 year warranty, use either liquids or water solubles; no premixing

COMMERCIAL SYSTEMS



EZ-FLO HC 38L

SKU: EZ010HC

Type:

Main Line High Capacity System

Additive capacity:

38L Litres (liquid) / 50kg (water-soluble)

Suggested applications:

Parks, Sports fields and growers

Litres of treated water per refill:

22.000-600.000

Parts included in kit:

EZ010HC Tank, Mixing cap, 1.5m feeding tubes, liquid adaptor



Required accessories:

Ball valve coupling adaptor (CBV) to suit irrigation mains, medium funnel optional

Additional Features:

Ability to use either liquid concentrates or water solubles

COMMERCIAL SYSTEMS



EZ-FLO HC 66L

SKU: EZ017HC

Model: EZ017HC

Type: Main Line, High Capacity System

Additive capacity: 66 Litres (liquid) / 75kg
(water-soluble)

Suggested applications: Small Crops,
Nursery, Large fields & parks, Large gardens,
Greenhouses, Golf courses, etc.
Litres of treated water per refill: 24,000 –
1,100,000 Litres

Parts included in kit: EZ017HC Tank, Mixing
cap, 1.5m feeding tube, liquid adaptor



Required accessories:

Ball valve Coupling adapter (CBV) required to suit the mains you are injecting fertiliser into

Recommended accessories:

Ball valve coupling adaptor, Small funnel,

Additional notes:

Can be converted to a HiFLO unit

COMMERCIAL SYSTEMS



EZ-FLO HC 94L

SKU: EZ025HC

Type: Main Line High Capacity System

Additive capacity: 94.7 Litres (liquid) /
113.5kg (water-soluble)

Suggested applications: Small Crops,
Nursery, Large fields & parks, Large gardens,
Greenhouses, Golf courses, etc.

Litres of treated water per refill: 38,000 –
1,425,000 Litres

Parts included in kit:

EZ025HC Tank, Mixing cap, 1.5m feeding
tube, liquid adaptor



Essential:

Ball valve coupling adaptor (CBV) to suit your irrigation mains

Additional notes:

Can be converted to a HiFLO unit

PARTS AND ACCESSORIES

Ball Valve Coupling Adapters



Ball Valve Coupling Connector 50mm BSP Female



Ball Valve Coupling Connector 40mm BSP Female



Ball Valve Coupling Connector 32mm BSP Female



Ball Valve Coupling Connector 25mm BSP Female



Ball Valve Coupling Connector 20mm BSP Female



Ball Valve Coupling Connector 50mm BSP Male



Ball Valve Coupling Connector 40mm BSP Male



Ball Valve Coupling Connector 32mm BSP Male

Ball Valve Coupling Adapters



Ball Valve Coupling Connector 25mm BSP Male



Ball Valve Coupling Connector 20mm BSP Male



Ball Valve Coupling Connector 50mm socket



Ball Valve Coupling Connector 40mm socket



Ball Valve Coupling Connector 20mm socket



Ball Valve Coupling Connector 32mm socket



Ball Valve Coupling Connector 25mm socket



Wafer Valve Adapter to suit 75mm Poly complete,
code CWV75



Coupling ball valve adapter to suit 100mm PVC,
CBV400

Garden Hose Connectors



Hoselink 20mm USA Converter for EZ-FLO Tap Adapter



EZFLO tap adapter with Hoselink fittings (USA thread converted)



Quick Snap-On 13mm tap Connector Set, fits EZ-FLO hose tap adapter only



Vacuum breaker with US thread, fits EZ-FLO hose tap connector only



Hose tap connector, brass with 13mm snap on connectors



Hose tap connector, brass with 13mm snap on connectors and vacuum breaker



Hose tap connector, brass with 20mm thread connectors in lieu of 13mm snap on connectors



Hose tap connector 20mm, with ball valve and BSP fittings, 3060BV (BSP)



USA thread to Australian thread converter- K-BSP

Garden Hose Connectors



Hoselink 20mm USA Converter for EZ-FLO Tap Adapter



EZFLO tap adapter with Hoselink fittings (USA thread converted)



Quick Snap-On 13mm tap Connector Set, fits EZ-FLO hose tap adapter only



Vacuum breaker with US thread, fits EZ-FLO hose tap connector only



Hose tap connector, brass with 13mm snap on connectors



Hose tap connector, brass with 13mm snap on connectors and vacuum breaker



Hose tap connector, brass with 20mm thread connectors in lieu of 13mm snap on connectors



Hose tap connector 20mm, with ball valve and BSP fittings, 3060BV (BSP)



USA thread to Australian thread converter- K-BSP

Funnels



Broad mouth funnel EZ-FNLSC



Large funnel to suit HC and HCV systems,
code EZ-FNLHC



Filling spout to suit HCV systems, part of large
funnel

Other Parts



Hoselink - 20mm USA Thread Adapter



Hoselink 20mm USA Converter for EZ-FLO Tap
Adapter



EZ-FLO ultra Low-Flow Solenoid



Replacement Cap, MBT

Other Parts



Steel Easy Out + Blue Disconnect



Steel Easy Out + Green Disconnect



Dip Tube Set



Old-Style Green Connector (Pre-2016 caps)



Old-Style Blue Connector (Pre-2016 caps)



Old-Style Cap (Earlier FX Mainline Models)



Blue Collet



Green Collet



Blue Disconnect PCB

Other Parts



Green Disconnect PCG



Clear tube CT5



Vacuum breaker with US thread, fits EZ-FLO hose tap connector only



Black tube BT5



Liquid converter kit, K-LDT QDV



FLO discs, LDSOV-FLO



USA thread to Australian thread converter- K-BSP



Heavy duty Shut Off valves, SOV



Telescopic PVC slip fix coupling 3/4"

Other Parts



Director, male 20mm BSP Thread x 20mm LDPE



Director, female 20mm BSP thread x 20mm LDPE



Director, 20mm male BSP thread x 13mm LDPE



Director, 25 mm male BSP thread x 25mm LDPE



Large O-ring K-LOR



Injection probe adapter, 3/8" to suit water end,
code K-SVF 23



Injection probe adapter, 3/8" to suit fertiliser end,
code K-SVF 23



Telescopic PVC slip fix coupling 1"

FERTIGATION INJECTION SYSTEMS



Contact EZ-FLO Australia

Call 1300 393 567 | team@ezflo.com.au

www.ezflo.com.au